




PARTS CATALOG



Index

ACTUATORS /3
ADAPTORS/32
BOAT GUIDES/21
BOWCATCHERS/31
BRAKE SETS/11
BUNKS/9
COUPLERS /4
COUPLER BALLS/20
(EOH) BRAKE SYSTEM/12
FENDERS/26
JACKS/22
LIGHTS/16
LOCKS/30
ROLLERS/31
SAFETY CHAINS/32
SPARE TIRE CARRIERS/28
SPRINGS/6
TORSION AXLES/24
TIRES AND WHEELS/13
TRAILER TONGUES /5
WINCHES /18
WINCH STANDS /29

Actuators



ACTUATOR MODEL 70

DEMCO MODEL 70 ACTUATOR FOR UNDER 7K TRAILERS



ACTUATOR MODEL 10

DEMCO MODEL 10-12K ACTUATOR FOR UNDER 10K TRAILERS



ACTUATOR MODEL 16.5

DEMCO MODEL 16.5 ACTUATOR FOR 12-15KG TRAILERS



ACTUATOR MODEL 20

DEMCO MODEL 20 ACTUATOR FOR 18-20K TRAILERS

Couplers



COUPLER 5K

RHINO TONGUE COUPLER FOR UNDER 5K TRAILERS



COUPLER 10K

DEMCO TONGUE COUPLER FOR UNDER 10K TRAILERS



COUPLER 18K

DEMCO TONGUE COUPLER FOR UNDER 18K TRAILERS



COUPLER 21K

DEMCO TONGUE COUPLER FOR UNDER 21K TRAILERS

Trailer Tongues



GALVANIZED TRAILER TONGUE 3" X 3"

DIMENSIONS 3" X 3" / LENGTH 8' / THICKNESS
3/16"



GALVANIZED TRAILER TONGUE 4" X 3"

DIMENSIONS 4" X 3" / LENGTH 8' / THICKNESS
3/16"



GALVANIZED TRAILER TONGUE 4" X 3"

DIMENSIONS 4" X 3" / LENGTH 10' / THICKNESS
3/16"



GALVANIZED TRAILER TONGUE 5" X 3"

DIMENSIONS 5" X 3" / LENGTH 10' / THICKNESS
3/16"

Springs



OPEN EYE SPRING 26" / 3 LEAF

26" LENGTH / 1 3/4" WIDTH / 3 LEAF / 1750 LBS
CAPACITY OF EACH



OPEN EYE SPRING 26" / 4 LEAF

26" LENGTH / 1 3/4" WIDTH / 4 LEAF / 2350 LBS
CAPACITY OF EACH



SLIPPER SPRING 24" / 2 LEAF

24" LENGTH / 1 3/4" WIDTH / 2 LEAF / 500 LBS
CAPACITY OF EACH



SLIPPER SPRING 25 1/8" / 3 LEAF

25 1/8" LENGTH / 1 3/4" WIDTH / 3 LEAF / 725 LBS
CAPACITY OF EACH

Springs



SLIPPER SPRING 25 1/8" / 4 LEAF

25 1/8" LENGTH / 1 3/4" WIDTH / 4 LEAF / 950 LBS
CAPACITY OF EACH



SLIPPER SPRING 24" / 3 LEAF

24" LENGTH / 1 3/4" WIDTH / 3 LEAF / 1650 LBS
CAPACITY OF EACH



SLIPPER SPRING 25 1/8" / 5 LEAF

25 1/8" LENGTH / 1 3/4" WIDTH / 5 LEAF / 1200 LBS
CAPACITY OF EACH



DOUBLE EYE SPRING 25 1/8" / 3 LEAF

20" LENGTH / 1 3/4" WIDTH / 3 LEAF / 1850 LBS
CAPACITY OF EACH

Springs



DOUBLE EYE SPRING 25" / 1 LEAF

25" LENGTH / 1 3/4" WIDTH / 1 LEAF / 3000 LBS
CAPACITY OF EACH



DOUBLE EYE SPRING 25 1/8" / 4 LEAF

20" LENGTH / 1 3/4" WIDTH / 4 LEAF / 1850 LBS
CAPACITY OF EACH



DOUBLE EYE SPRING 25" / 6 LEAF

25" LENGTH / 1 3/4" WIDTH / 6 LEAF / 3500 LBS
CAPACITY OF EACH



DOUBLE EYE SPRING 30" / 5 LEAF

30" LENGTH / 1 3/4" WIDTH / 5 LEAF / 1250 LBS
CAPACITY OF EACH

Bunks



CARPETED BUNK

2"X6"X6'



CARPETED BUNK

2"X6"X12'



CARPETED BUNK

2"X6"X20'



CARPETED BUNK

3"X8"X10'

Bunks



CARPETED BUNK

4"X10"X12'



CARPETED BUNK

4"X10"X14'



CARPETED BUNK

4"X10"X16'



BUNK CARPET

BLACK WEATHER RESISTANT CARPET
18"X100'

Brake Sets



BRAKE SET 3.5K / 10"

BRAKE SET 3.5K WEIGHT CAPACITY AND 10" OF DIAMETER. INCLUDES: 2 ROTORS, 2 CALIPERS AND 2 MOUNTING BRACKETS



BRAKE SET 6K / 12"

BRAKE SET 6K WEIGHT CAPACITY AND 12" OF DIAMETER. INCLUDES: 2 ROTORS, 2 CALIPERS AND 2 MOUNTING BRACKETS



BRAKE SET 7K / 13"

BRAKE SET 7K WEIGHT CAPACITY AND 13" OF DIAMETER. INCLUDES: 2 ROTORS, 2 CALIPERS AND 2 MOUNTING BRACKETS



BRAKE SET 8K / 13"

BRAKE SET 8K WEIGHT CAPACITY AND 13" OF DIAMETER. INCLUDES: 2 HUB AND ROTORS, 2 CALIPERS AND 2 MOUNTING BRACKETS



BRAKE SET 10K / 13"

BRAKE SET 10K WEIGHT CAPACITY AND 13" OF DIAMETER. INCLUDES: 2 HUB AND ROTORS, 2 CALIPERS AND 2 MOUNTING BRACKETS

(EOH) Brake System



TRAILER-MOUNTED BRAKE ACTUATOR

HYDRASTAR 1600 PSI ELECTRIC OVER HYDRAULIC (EOH) TRAILER-MOUNTED BRAKE ACTUATOR. COMPATIBLE WITH ANY TRAILER CONFIGURATION WITH 1-3 AXLES.



TRAILER-MOUNTED BRAKE ACTUATOR WITH EXPANDED 1/4

HYDRASTAR 1600 PSI ELECTRIC OVER HYDRAULIC (EOH) TRAILER-MOUNTED BRAKE ACTUATOR WITH EXPANDED 1 QUART RESERVOIR. COMPATIBLE WITH ANY TRAILER CONFIGURATION WITH 1-3 AXLES.



JUNCTION BOX

7-WAY JUNCTION BOX WITH HARDWARE 6-3/4" X 3-1/2" MODEL



BATTERY BREAK AWAY SYSTEM

TOP LOAD BOX WITH LED TEST BUTTON WIRED WITH SWITCH, BATTERY AND BUILT-IN CHARGER



WIRE HARNESS

8' 7-WAY (7-PIN) TRAILER CONNECTION. PERFECT FOR TRAILERS WITH BRAKES, REVERSE LIGHTS, AND ANY OTHER AUXILIARY POWER NEEDS.

Tires and Wheels



**GALVANIZED
TIRE AND WHEEL 10/5**

205/65BIAS/10E 5H 10PLY



**GALVANIZED
TIRE AND WHEEL 12/5**

4.80-12C BIAS 5H 6PLY



**GALVANIZED
TIRE AND WHEEL 13/5**

175/80R/13D 5H 8PLY



**GALVANIZED
TIRE AND WHEEL 14/5**

205/75R/14D 5H 8PLY



**ALUMINUM
TIRE AND WHEEL 14/5**

205/75R/14D 5H 8PLY

Tires and Wheels



**GALVANIZED
TIRE AND WHEEL 15/5**
205/75R/15D 5H 8PLY



**ALUMINUM
TIRE AND WHEEL 15/5**
205/75R/15D 5H 8PLY



**GALVANIZED
TIRE AND WHEEL 15/6**
225/75R/15D 6H 10PLY



**ALUMINUM
TIRE AND WHEEL 15/6**
225/75R/15E 6H 10PLY



**GALVANIZED
TIRE AND WHEEL 16/6**
235/80R/16E 6H 10PLY

Tires and Wheels



ALUMINUM
TIRE AND WHEEL 16/6

235/80R/16E 6H 10PLY



GALVANIZED
TIRE AND WHEEL 16/8

235/80R/16E 8H 10PLY



ALUMINUM
TIRE AND WHEEL 16/8

235/80R/16E 8H 10PLY



GALVANIZED
TIRE AND WHEEL 17.5/8

215/75R/17.5H 8H 16PLY



ALUMINUM
TIRE AND WHEEL 17.5/8

235/75R/17.5H 8H 16PLY

Lights



INCANDESCENT LIGHT KIT

INCLUDES: 2 STOP AND TAIL LAMPS, 25' TRAILER WIRE HARNESS, 1 LICENSE BRACKET, PLUS WIRE CONNECTORS AND SPRING CLIPS



SUBMERSIBLE / INCANDESCENT LIGHT KIT

INCLUDES: 1 PAIR 3.75"H X 6"W COMBINATION TAIL LAMPS W/ STAINLESS BOLTS, 1 PLASTIC LICENSE PLATE HOLDER AND ONE WISHBONE WIRE HARNESS WITH MOUNTING HARDWARE AND WIRE CONNECTORS



SUBMERSIBLE / LED LIGHT KIT

INCLUDES: 2 STOP / TAIL LAMPS, 25' TRAILER WIRE HARNESS, 1 LICENSE BRACKET, PLUS WIRE CONNECTORS AND SPRING CLIPS

Lights



SUBMERSIBLES / LED LIGHT KIT

INCLUDES: 1 PAIR LED 3.75"H X 6"W COMBINATION TAIL LAMPS W/ STAINLESS BOLTS, 1 PLASTIC LICENSE PLATE HOLDER AND ONE WISHBONE WIRE HARNESS WITH MOUNTING HARDWARE AND WIRE CONNECTORS



LED GUIDE-ON LIGHTS KIT

INCLUDES: 1 PAIR OF PIPES LIGHTS, 4 STAINLESS STEEL SCREWS, 4 BUTT WIRING CONNECTORS, 4 SCOTCH LOCK WIRING CLIPS AND 2 FRAME CLIPS



SIDE MARKER LIGHTS

RED OR AMBER BULLET LIGHTS

Winches



TRAILER WINCH WITH STRAP

CAPACITY 600 LBS



TRAILER WINCH WITH STRAP

CAPACITY 1600 LBS



TRAILER WINCH WITH STRAP

CAPACITY 1800 LBS

Winches



TRAILER WINCH WITH STRAP

CAPACITY 2000 LBS



TRAILER WINCH WITH STRAP

CAPACITY 2500 LBS



TRAILER WINCH WITH STRAP

CAPACITY 3500 LBS

Coupler Balls



COUPLER BALL 2"

COUPLER BALL 2" SIZE / 1" SHANK DIAMETER / 5K LBS MAX LOAD



COUPLER BALL 2-5/16"

COUPLER BALL 2-5/16" SIZE / 1" SHANK DIAMETER / 6K LBS MAX LOAD



COUPLER BALL 2-5/16"

COUPLER BALL 2-5/16" SIZE / 1-1/4" SHANK DIAMETER / 10K LBS MAX LOAD

Boat Guides



GUIDE POLES KIT 46½" H

INCLUDES:

- 2 BOAT GUIDE ALUMINUM 1½" X 1½" (46½"H X 23½"W)
- 2 BOAT GUIDE PVC (50"H X 2¾" I.D.)



GUIDE POLES KIT 68½" H

INCLUDES:

- 2 BOAT GUIDE ALUMINUM 1½" X 1½" (68½"H X 23½"W)
- 2 BOAT GUIDE PVC (62½"H X 2¾" I.D.)



BOAT CENTERING GUIDE

9"H X 45½"W

Jacks



JACK 1K LBS

SIDE WIND SWIVEL WHEEL JACK /
CAPACITY 1000 LBS / LIFT 10" / FITS
TONGUES UP TO 3" X 4"



JACK 2.5K LBS

SIDE WIND RIGID MOUNT DROP LEG JACK
/ CAPACITY 2500 LBS / LIFT 14" / FITS
TONGUES UP TO 3" X 5"



JACK 8K LBS

SIDE WIND RIGID MOUNT WELD ON DROP LEG
JACK / CAPACITY 8000 LBS / LIFT 15" / FITS
TONGUES UP TO 3" X 4"

Jacks



JACK 5K LBS

SIDE WIND RIGID MOUNT WELD ON DROP LEG JACK / CAPACITY 8000 LBS / LIFT 15" / FITS TONGUES UP TO 3" X 4"



A-FRAME JACK 5K LBS

A-FRAME JACK / CAPACITY 5000 LBS / LIFT 14"



CASTER ASSEMBLY FOR A-FRAME JACK

WHEEL / CAPACITY 2000 LBS / MOUNT PIN / INSIDE DIAMETER 2"



SUPPORT FOOT FOR A-FRAME JACK

FOOT / CAPACITY 5000 LBS / MOUNT PIN / INSIDE DIAMETER 2"

Torsion Axles



TORSION AXLE WITH HUBS 3750 LBS

KNOTT TORSION AXLE WITH
GALVANIZED HUBS / CAPACITY 3750 LBS /
FOR FRAME WIDTH 72" / DOWN ANGLE
30°



TORSION AXLE WITH HUBS 3750 LBS

KNOTT TORSION AXLE WITH
GALVANIZED HUBS / CAPACITY 3750
LBS / FOR FRAME WIDTH 80" / DOWN
ANGLE 30°



TORSION AXLE WITH HUBS 5200 LBS

ROCKWELL TORSION AXLE WITH
GALVANIZED HUBS / CAPACITY 5200
LBS / FOR FRAME WIDTH 80" / DOWN
ANGLE 22°

Torsion Axles



TORSION AXLE WITH HUBS 6000 LBS

ROCKWELL TORSION AXLE WITH
GALVANIZED HUBS / CAPACITY 6000 LBS /
FOR FRAME WIDTH 80" / DOWN ANGLE
22°



TORSION AXLE 7000 LBS

ROCKWELL TORSION AXLE /
CAPACITY 7000 LBS / FOR FRAME
WIDTH 80" / DOWN ANGLE 22°



TORSION AXLE 8000 LBS

ROCKWELL TORSION AXLE /
CAPACITY 8000 LBS / FOR FRAME
WIDTH 80" / DOWN ANGLE 0°

Fenders



ALUMINUM ROUND
SINGLE AXLE FENDER

W7"XL23.5"XH6.5"



ALUMINUM ROUND
SINGLE AXLE FENDER

W9"XL31"XH15"



ALUMINUM ROUND
TANDEM AXLE FENDER

W10"XL68" H16"

Fenders



ALUMINUM ROUND TANDEM AXLE FENDER

W 10" XL 72" XH 18"



ALUMINUM ROUND TANDEM AND TRIPLE AXLE FENDER

W 10" XL 103" XH 18"



ALUMINUM ROUND TANDEM AND TRIPLE AXLE FENDER

W 10" XL 110" XH 18"

Spare Tire Carriers



REGULAR SPARE TIRE CARRIER

REGULAR SPARE TIRE CARRIER/
PLATE SIZE 5" X 4"



SPARE TIRE CARRIER WITH HUB / 5 LUGS

SPARE TIRE CARRIER WITH HUB / 5 LUGS/
PLATE SIZE 5" X 4"



SPARE TIRE CARRIER WITH HUB / 6 LUGS

SPARE TIRE CARRIER WITH HUB / 6 LUGS/
PLATE SIZE 5" X 4"

Winch Stands



WINCH STAND 4" X 2" X 32"

ANGLE GALVANIZED WINCH STAND / FITS
TONGUE WIDTH 3" / DIMENSIONS 4" X 2" /
HEIGHT 32" / PLATE SIZE 5" X 12"



WINCH STAND 3" X 3" X 34"

ANGLE GALVANIZED WINCH STAND / FITS
TONGUE WIDTH 3" / DIMENSIONS 3" X 3" /
HEIGHT 34" / PLATE SIZE 5" X 12"



WINCH STAND 4" X 3" X 36"

ANGLE GALVANIZED WINCH STAND / FITS
TONGUE WIDTH 3" / DIMENSIONS 4" X 3" /
HEIGHT 36" / PLATE SIZE 5" X 12"



GALVANIZED BOW STOPS

GALVANIZED BOW STOP / FITS WINCH STAND
3" X 4" / DIMENSIONS 23 1/4" L X 10 1/2" H X 5" W /
PLATE SIZE 5" W X 11" L / ROLLER SIZE 4"

Winch Stands



WINCH STAND FOR USE WITH BOW CATCHER 3" X 4" X 32"

ANGLE GALVANIZED WINCH STAND FOR USE WITH BOW CATCHER / FITS TONGUE WIDTH 3" / DIMENSIONS 3" X 4" / HEIGHT 32" / PLATE SIZE 5" X 12"



WINCH STAND FOR USE WITH BOW CATCHER 3" X 4" X 36"

ANGLE GALVANIZED WINCH STAND FOR USE WITH BOW CATCHER / FITS TONGUE WIDTH 3" / DIMENSIONS 3" X 4" / HEIGHT 36" / PLATE SIZE 5" X 15"

Locks



TRAILER HITCH LOCK WITH KEYS

TRAILER TONGUE COUPLER LOCK FITS LATCH TYPE COUPLER TRAILER HITCH LOCKS

Bowcatchers



ADJUSTABLE GALVANIZED REGULAR BOWCATCHER

DIMENSIONS 24"H X 17"W / FITS WINCH
STAND 3"X3" OR 3"X4" / PLATE SIZE 5"W X 8"L /
BUNK SIZE 11"



ADJUSTABLE GALVANIZED HEAVY DUTY BOWCATCHER

DIMENSIONS 36"H X 17"W / FITS WINCH
STAND 3"X3" OR 3"X4" / PLATE SIZE 5"W X 8"L /
BLOCK SIZE 8" BLOCK

Rollers



POLYMER BELL ROLLER ASSEMBLIES

CENTER BOW ROLLER ASSEMBLY BLUE /
CENTER ROLLER 4" / WIDTH 4"

Safety Chains



5/16 SAFETY CHAIN

5/16 SAFETY CHAIN. 40" LONG



3/8 SAFETY CHAIN

3/8 SAFETY CHAIN. 40" LONG

Adaptors



7-WAY TO 5-WAY ADAPTER 18"

ALLOWS FOR CONNECTION FROM 5-WAY FLAT TRAILER PLUG TO VEHICLES CONTAINING A 7-WAY ROUND RECEPTACLE



HOPPY LITEMATE ADAPTER

7-WAY RV BLADE TYPE TO 5-WAY FLAT ADAPTER



(786) 717-6793

boattrailersinfo@gmail.com

2375 NW 149TH STREET, Opa Locka, FL 33054

www.rocknrolltrailers.com

@rockandrollboattrailers